PCT

WOR TELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

A61K 31/425, 31/44, 31/42

(11) International Publication Number:

WO 00/35437

(43) International Publication Date:

22 June 2000 (22.06.00)

(21) International Application Number:

PCT/US99/30066

(22) International Filing Date:

17 December 1999 (17.12.99)

(30) Priority Data:

60/112,669 17 December 1998 (17.12.98) US 60/122,258 24 February 1999 (24.02.99) US

(71) Applicant (for all designated States except US): MINDSET BIOPHARMACEUTICALS (USA), INC. [US/US]; 1450 Broadway, 41st Floor, New York, NY 10018 (US).

(71) Applicant (for SD only): MCINNIS, Patricia, A. [US/US]; 2325
42nd Street, N.W., Apartment #203, Washington, DC 20007
(US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): CHAIN, Daniel, G. [GB/IL]; Beit Eshel Street 1, Old Katamon, 93227 Jerusalem (IL). CAWTHORNE, Mike [GB/GB]; The University of Buckingham, Buckingham MK 18 1EG (GB).

(74) Agent: BROWDY, Roger, L.; Browdy and Neimark, P.L.L.C., 624 Ninth Street, N.W., Suite 300, Washington, DC 20001 (US). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(88) Date of publication of the international search report:

9 November 2000 (09.11.00)

(54) Title: IMPROVING MENTAL PERFORMANCE BY INCREASING BRAIN INSULIN SENSITIVITY

(57) Abstract

Brain glucose utilization can be increased by administering an agent that improves central nervous system insulin sensivity. By improving the central nervous system insulin sensivity and increasing brain glucose utilization, age-related memory loss and dementia can be prevented and/or reduced. The improvement in brain glucose utilization is independent of treatment for Type II diabetes. Among the central nervous system insulin sensitizers that can be administered to increase brain glucose utilization are thiazolidinediones, including troglitazone, rosiglotazone and pioglitazone. Other useful compounds include oxyzolidinediones, including JPP501, and non-chiral acyclic agents, including GL 262370, and substituted 4-hydroxy-phenylalcanoic acid derivatives which are PPAR gamma receptor activators. All of these agents act on the nuclear receptor PPAR gamma. In a preferred embodiment, the agents are administered in the form of prodrugs which are designed to cross the blood brain barrier.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Мопасо	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	ΙE	Ireland	MN	Mongolia	ŪA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

In. at Application No PCT 39/30066

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K31/425 A61K A61K31/44 A61K31/42 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 7 A61K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) BIOSIS C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. 1 - 30COMBS, C.K. ET AL: "Inflammatory T mechanisms in Alzheimer's disease: Inhibition of beta.amyloid -stimulated proinflammatory responses and neurotoxicity by PPAR.gamma agonists" THE JOURNAL OF NEUROSCIENCE, vol. 20, no. 2, 15 January 2000 (2000-01-15), pages 558-567, XP000933946 the whole document WO 00 32190 A (CASE WESTERN RESERVE 1-13.15. Ε 18,20,23 UNIVERSITY) 8 June 2000 (2000-06-08) the whole document Further documents are listed in the continuation of box C. Patent family members are listed in annex. X Special categories of cited documents : "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled other means document published prior to the international filing date but later than the priority date claimed in the art. "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 23/08/2000 15 August 2000 Name and mailing address of the ISA **Authorized officer** European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Mair, J Fax: (+31-70) 340-3016

PCT Application No

	,	PCT/ 99/30066
C.(Continua Category °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication,where appropriate, of the relevant passages	Relevant to claim No.
Category	Citation of document, with indicator, where appropriate, or the relevant passages	There was the second of the se
E	WO 00 23451 A (NOVO NORDISK A/S) 27 April 2000 (2000-04-27)	1-5,10, 11,13, 15,19, 20,23
	the whole document especially page 1, line 23	
E	WO 00 23445 A (NOVO NORDISK A/S) 27 April 2000 (2000-04-27)	1-5,10, 11,13, 15,19, 20,23
	the whole document especially page 1, line 23	
E	WO 00 23417 A (NOVO NORDISK A/S) 27 April 2000 (2000-04-27)	1-5,10, 11,13, 15,19, 20,23
	the whole document especially page 1, line 23	
E	WO 00 23416 A (NOVO NORDISK A/S) 27 April 2000 (2000-04-27)	1-5,10, 11,13, 15,19, 20,23
	the whole document especially page 1, line 23	
E	WO 00 23415 A (NOVO NORDISK A/S) 27 April 2000 (2000-04-27)	1-5,10, 11,13, 15,19, 20,23
	the whole document especially page 1, line 24	
Ε	WO 00 23407 A (GLAXO GROUP LIMITED) 27 April 2000 (2000-04-27)	1-5,10, 11,13, 15-17, 19,20,23
	the whole document	55,25,25
E	US 6 028 088 A (PERSHADSINGH ET AL) 22 February 2000 (2000-02-22)	1-6,10, 11, 15-17, 19-23
·	the whole document especially column 33, Table V and VI; claims 30 and 31	
	_/	
	210 (continuation of second sheet) (July 1992)	

PCT/U9/30066

		PCT/U_9/30066		
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
P,X	KITAMURA, Y. ET AL: "Increased expression of cyclooxygenases and peroxisome proliferator-activated receptor.gamma in Alzheimer's disease brains" BIOCHEMICAL AND BIOPHYSICAL RESERACH COMMUNICATIONS, vol. 254, no. 3, 27 January 1999 (1999-01-27), pages 582-586, XP000929650 cited in the application the whole document	1-5,10, 11,13, 15,16, 19,23		
P, X	WO 99 16758 A (DR. REDDY'S RESEARCH FOUNDATION) 8 April 1999 (1999-04-08) the whole document	1-5,10, 11,13, 15,19,20		
	especially page 96, claim 22, line 25			
P, X	WO 99 38850 A (DR. REDDY'S RESEARCH FOUNDATION) 5 August 1999 (1999-08-05)	1-5,10, 11,13, 15,19,20		
	the whole document especially page 106, claim 21, line 9-10			
Р,Х	WO 99 20614 A (DR. REDDY'S RESEARCH FOUNDATION) 29 April 1999 (1999-04-29)	1-5,10, 11,13, 15,19,20		
	the whole document especially page 113, claim 23, line 9-10	15,19,20		
X	US 5 556 843 A (ROMEO ET AL) 17 September 1996 (1996-09-17) cited in the application the whole document especially column 2, line 4-7; column 4, claims 6 and 7	1-5,23		
A	WO 97 31907 A (GLAXO GROUP LTD.) September 1997 (1997-09) cited in the application the whole document	11,12		
A	US 5 039 794 A (WIER ET AL) 13 August 1991 (1991-08-13) cited in the application the whole document	28		
A	US 4 540 564 A (BODOR) 10 September 1985 (1985-09-10) cited in the application the whole document	26,27		
	-/			

PCT Application No

		PCT/ 99/30066					
	C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT Category * Citation of document, with indication where appropriate of the relevant passages Relevant to claim No.						
Category °	Citation of document, with indication,where appropriate, of the relevant passages	Helevant to daim No.					
A	DUELLI, R. ET AL: "Intracerebroventricular injection of streptozotocin induces discrete local changes in cerebral glucose utilization in rats" INTERNATIONAL JOURNAL OF DEVELOPMENTAL NEUROSCIENCE, vol. 12, no. 8, 1994, pages 737-747, XP000933903 cited in the application the whole document	1-30					
Α	MUKHERJEE, R. ET AL: "Sensitization of diabetic and obese mice to insulin by retinoid X receptor agonists" NATURE, vol. 386, 1997, pages 407-410, XP002081440 cited in the application the whole document	5,15-17					
Α	BLUM-DEGEN D. ET AL: "Altered regulation of brain glucose metabolism as a cause of neurodegenerative disorders?" JOURNAL OF NEURAL TRANSMISSION, vol. suppl. 46, 1995, pages 139-147, XP000933904 cited in the application the whole document	1-30					
A	GRANNEMAN, J. ET AL: "Member of the Peroxisome Proliferator-Activated Receptor family of transcription factors is differentially expressed by oligodendrocytes" JOURNAL OF NEUROSCIENCE RESEARCH, vol. 51, 1998, pages 563-573, XP000933914 cited in the application the whole document especially page 564, lefthand column, line 18-24	1-30					
A	HOYER, S. ET AL: "Brain glucose metabolism is controlled by amplification and desensitization of the neuronal insulin receptor" ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, vol. 777, 1996, pages 374-379, XP000933907 cited in the application the whole document	1-30					

FURTHER INFORMATION CONTINUED FROM: PCT/ISA/ 210

Continuation of Box I.2

Present claims 1-5, 10,11,15-17 and 19-22 relate to compounds defined by reference to desirable characteristics or properties, e.g. "...an agent to improve insulin sensitivity in the brain." (claim 1), "...the agent activates the PPAR gamma receptor." (claim 10), an agent which "...activates a RxR receptor that forms a heterodimer with a PPAR gamma receptor."(claim 16), "...the agent interacts with the insulin transduction process" (claim 20), "an agent to improve mental performance" (claim 21) and "cerebral enhancers" (claim 22). The claims cover all compounds having these characteristics or properties, whereas the application provides support within the meaning of Article 6 PCT and disclosure within the meaning of Article 5 PCT for only a very limited number of such compounds. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the compounds by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible.

Additionally, PPAR and RxR receptors are not adequately defined in the application so it is not possible to deduce which compounds are meant to be included in the definition "activators" of RxR, PPAR gamma or PPAR alpha receptors.

Moreover, expressions such as "a thiazolidinedione", "an oxyzolidinedione", "a substituted 4-hydroxy -phenylalcanoic acid derivative", "a natural product or is derived from a natural product", "a prodrug" etc. relate to a rather elevated number of possible compounds. Support within the meaning of Article 6 PCT and disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible.

Furthermore present claims 1-22 and 23-30 relate to a use defined as "...for improving mental performance in patients having symptoms of reduced mental performance and are (sic) neither in a state of non-insulin dependent diabetes nor a state of general impaired glucose tolerance". The use of these parameters in the present context is considered to lead to a lack of clarity within the meaning of Article 6 PCT. It is impossible to compare the parameters the applicant has chosen to employ with what is set out in the prior art. The lack of clarity is such as to render a meaningful complete search impossible. Consequently, the search has been restricted to the use of the claimed compounds.

Consequently, the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, ramely those parts relating to the compounds specifically mentioned in the claims and their use related to improving mental performance with due regard to the general idea underlying the application.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

nforma patent family members

In a Application No PCT 99/30066

	nt document search report		Publication date		Patent family member(s)		Publication date
	032190		08-06-2000	NONE			1
WO 0	023451	Α	27-04-2000	AU	6325799	Α	08-05-2000
WO 0	023445	Α	27-0 4- 2000	AU	6325599	Α	08-05-2000
WO 0	023417	Α	27-04-2000	AU	6325899	Α	08-05-2000
WO 0	023416	Α	27-04-2000	AU	6325699	Α	08-05-2000
WO 0	023415	Α	27-04-2000	AU	6190199	A	08-05-2000
MO 0	023407	Α	27-04-2000	AU	6350699	A	08-05-2000
US 6	028088	Α	22-02-2000	NONE			
WO 9	916758	Α	08-04-1999	ZA	9809790	Α	28-04-1999
WO 9	938850	A	05-08-1999	AU	1887999	A	16-08-1999
WO 9	920614	A	29-04-1999	AU NO	1120699 20002114		10-05-1999 26-06-2000
US 5	5556843	Α	17-09-1996	IT AU DE DE EP JP AT CA WO ES	1260155 4706293 69307895 69307895 0652755 7509478 148345 2141557 9403178 2101334	A D T A T T A A	28-03-1996 03-03-1994 13-03-1997 14-08-1997 17-05-1995 19-10-1997 17-02-1994 17-02-1994 01-07-1997
WO 9	9731907	A	04-09-1997	AP AU AU BG BR CA CN CZ EP HR JP 2 NO PL SK	780 717699 2093597 102792 9707786 2247443 1218460 9802750 0888317 970110 2000507216 983940 328871 116398	B A A A A A A A A A A A A A A A A A A A	22-11-1999 30-03-2000 16-09-1997 31-08-1999 27-07-1999 04-09-1997 02-06-1999 07-01-1999 30-04-1998 13-06-2000 27-10-1998 01-03-1999 13-04-1999
US 5	5039794	A	13-08-1991	DK EP KR JP	491087 0260708 9102703 63179896	A B	20-03-1988 23-03-1988 03-05-1991 23-07-1988
US 4	1540564	A	10-09-1985	US US US US	4479932 4880921 5087618 5008257	A	30-10-1984 14-11-1989 11-02-1993 16-04-1993

Informatio

atent family members

In at Application No PCT 99/30066

Patent document cited in search report	Publication date		Patent family member(s)	Publication date
US 4540564 A		US	5187158 A	16-02-1993
		US	5389623 A	14-02-1995
		US	5525727 A	11-06-1996
		AT	126695 T	15-09-1995
		AU	567433 B	19-11-1987
		AU	1703483 A	02-12-1983
		CA	1253856 A	09-05-1989
		CA	1327566 A	08-03-1994
		DE	3382795 D	28-09-1995
		DE	3382795 T	15-02-1996
		EP	0110955 A	20-06-1984
		EP	0218300 A	15-04-1987
		EP	0221588 A	13-05-1987
		EP	0224283 A	03-06-1987
		EP	0222425 A	20-05-1987
		EP	0262696 A	06-04-1988
		EP	0256577 A	24-02-1988
		ES	522489 D	16-12-1984
		ES	8502087 A	16-03-1985
		ΙE	69557 B	02-10-1996
		IT	1171851 B	10-06-1987
		JP	2587034 B	05-03-1997
		JP	58206561 A	01-12-1983
		US	4900837 A	13-02-1990
		WO	8303968 A	24-11-1983
		US	4880816 A	14-11-1989
		US	4622218 A	11-11-1986
		US	4824850 A	25-04-1989
		US	4829070 A	09-05-1989
		ZA	8303521 A	24-12-1984
		US	4727079 A	23-02-1988

5

WHAT IS CLAIMED IS:

- 1. A method for improving mental performance in patients having symptoms of reduced mental performance and are neither in a state of non-insulin dependent diabetes nor a state of general impaired glucose tolerance, comprising administering to such a patient an effective amount of an agent to improve insulin sensitivity in the brain.
- 2. The method according to claim 1, wherein the agent increases glucose utilization in discrete brain areas.
- 3. The method according to claim 2, wherein the discrete areas are selected from the group consisting of blood brain barrier microvessels and areas in the brain associated with mental performance or memory.
- The method according to claim 1, wherein the agent
 improves glucose utilization in astrocytes or glial cells.
 - 5. A method according to claim 1, wherein the agent is selected from the group consisting of insulin sensitizers.
 - 6. The method according to claim 5, wherein the agent is a thiazolidinedione.
- 7. The method according to claim 6, wherein the thiazolidinedione is selected from the group consisting of

PCT/US99/30066

troglitazone, rosiglitazone, pioglitazone, darglitazone and englitazone.

- 8. The method according to claim 5, wherein the agent is an oxyzolidinedione.
- 9. The method according to claim 8, wherein the agent is JTT 501.
 - 10. The method according to claim 1, wherein the agent activates the PPAR gamma receptor.
- 11. The method according to claim 1, wherein the agent 10 has agonist or partial agonist activity at the PPAR gamma receptor.
 - 12. The method according to claim 11 wherein the agent is a substituted 4-hydroxy-phenylalcanoic acid derivative.
- 13. The method according to claim 11, wherein the agent is a non-thiazolidinedione, non-oxyzolidinedione.
 - 14. The method according to claim 133 wherein the agent is GL 262570.
 - 15. The method according to claim 1, wherein the agent selectively activates one of the sub-types of the human PPAR gamma receptor.



- 16. The method according to claim 1, wherein the agent activates a RxR receptor that forms a heterodimer with a PPAR gamma receptor.
- 17. The method according to claim 1, wherein the agent is a combination of a PPAR gamma activator and an RxR receptor activator.
 - 18. The method according to claim 1, wherein the agent is a natural product or is derived from a natural product.
- 19. The method according to claim 1, wherein the agent10 interacts with a PPAR alpha receptor or a PPAR delta receptor.
 - 20. The method according to claim 1, wherein the agent interacts with the insulin transduction process so that the net effect is to increase the sensitivity or responsiveness of the insulin signal.
- 21. The method according to claim 1, wherein the agent is administered in conjunction with at least one agent to improve mental performance.
- 22. The method according to claim 19, wherein the agent to improve mental performance is selected from the group consisting of carnitine, acetyl-carnitine and cerebral enhancers.



- 23. A method according to claim 1, wherein the patient is one with Alzheimer's Disease.
- 24. The method according to claim 1, wherein the agent is delivered in the form of a prodrug.
- 5 25. The method according to claim 24, wherein the agent is provided in the form of an acid addition salt.
 - 26. The method according to claim 24, wherein agent is linked through a spacer to a dihydropyridine redox moiety.
- 27. The method according to claim 1, wherein the agent is delivered in a form that enables the agent to cross the blood brain barrier.
 - 28. The method according to claim 27, wherein the agent is delivered in conjunction with an effective amount of egressin to enable delivery of the agent across the blood brain barrier.

15

- 29. The method according to claim 27, wherein the agent is formulated as a non-ionic compound.
- 30. The method according to claim 27, wherein the agent is delivered microencapsulated in a poly(lactide-co-glycolide) biodegradable polymer.